

973

CMB

合

ILAR

APLAR

。Clinical

Rheumatology

。Int J Rheumatic Diseases

。

。

与

。Ann Rheum Dis

。Nat Rev Rheum

了

600

SCI 200

。Nature Medicine

- Jianping Guo, Nan Shen, Eric F. Morand, Di Yu and Zhanguo Li. Low-dose interleukin-2 treatment modulates CD4+ T cell subsets selectively in patients with systemic lupus erythematosus. *Nature Medicine*. 2016;22(9):991-3
2. Liu Y, Mu R, Gao YP, Dong J, Zhu L, Ma Y, Li YH, Zhang HQ, Han D, Zhang Y, McInnes IB, Zhang J, Shen B, Yang G, Li ZG. A Cytomegalovirus Peptide-Specific Antibody Alters Natural Killer Cell Homeostasis and Is Shared in Several Autoimmune Diseases. *Cell Host Microbe*. 2016;19(3):400-8.
 3. Zhan-guo Li. A new look at rheumatology in China—opportunities and challenges. *Nat Rev Rheum*, 2015;11 (5):313-317
 4. He J, Tsai LM, Leong YA, Hu X, Ma CS, Chevalier N, Sun X, Vandenberg K, Rockman S, Ding Y, Zhu L, Wei W, Wang C, Karnowski A, Belz GT, Ghali JR, Cook MC, Riminton DS, Veillette A, Schwartzberg PL, Mackay F, Brink R, Tangye SG, Vinuesa CG, Mackay CR, Li Z, Yu D. Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. *Immunity*, 2013; 39(4):770-81.
 5. Liling Xu, Mengdie Xia, Jun Guo, Xiaolin Sun, Hua Li, Chenguang Xu, Xiaomei Gu, Haowen Zhang, Junyang Yi, Yan Fang, Hengyi Xie, Jing Wang, Zhixun Shen, Boxin Xue, Yujie Sun, Tobias Meckel, Ying-Hua Chen, Zhibin Hu, Zhanguo Li, Chenqi Xu, Haipeng Gong, and Wanli Liu. Impairment on the lateral mobility induced by structural changes underlies the functional deficiency of the lupus-associated polymorphism Fc γ RIIB-T232s. *J Exp Med*. 2016;14;213(12):2707-2727
 6. HU F, Mu R, Zhu J, Shao WW, Shi LJ, Philip L. Cohen, Qiu XY, Li ZG. Hypoxia and hypoxia-inducible factor-1 provoke toll-like receptor signalling-induced inflammation in rheumatoid arthritis. *Ann Rheum Dis* 2014;73:928-936.
 7. Wang, T., X. Sun, J. Zhao, J. Zhang, H. Zhu, C. Li, N. Gao, Y. Jia, D. Xu, F. P. Huang, N. Li, L. Lu, and Z. G. Li. Regulatory T cells in rheumatoid arthritis showed increased plasticity toward Th17 but retained suppressive function in peripheral blood. *Ann Rheum Dis*. 2015;74 (6):1293-1301
 8. Du, Y., Y. Cui, X. Liu, F. Hu, Y. Yang, X. Wu, X. Ma, X. Zuo, Y. Sheng, J. Xu, P. Zhu, L. Sun, N. Hong, X. Zhang, J. Guo, and Z. Li. Contribution of functional LILRA3, but not nonfunctional LILRA3, to sex bias in susceptibility and severity of anti-citrullinated protein antibody-positive rheumatoid arthritis. *Arthritis Rheumatol*. 2014; 66:822-830.
 9. Joel Kremer, Zhan-Guo Li, Stephen Hall, Roy Fleischmann, Mark Genovese, Emilio Martin-Mola, John D. Isaacs, David Gruben, Gene Wallenstein, Sriram Krishnaswami, Samuel H. Zwillich, Tamas Koncz, Richard Riese, John Bradley. Tofacitinib in Combination With Nonbiologic Disease-Modifying Antirheumatic Drugs in Patients With Active Rheumatoid Arthritis. *Ann Intern Med*. 2013;159:253-261
 10. Zhao J, Ma J, Deng Y, Kelly JA, Kim K, Bang SY, Lee HS, Li QZ, Wakeland EK, Qiu R, Liu M, Guo J, Li Z, Tan W, Rasmussen A, Lessard CJ, Sivits KL, Hahn BH, Grossman JM, Kamen DL, Gilkeson GS, Bae SC, Gaffney PM, Shen N, Tsao BP. A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. *Nat Genet*. 2017;49(3):433-437.
 11. Guo, C., F. Hu, H. Yi, Z. Feng, C. Li, L. Shi, Y. Li, H. Liu, X. Yu, H. Wang, J. Li, Z. Li, and X. Y. Wang. Myeloid-derived suppressor cells have a proinflammatory role in the

- pathogenesis of autoimmune arthritis. *Ann Rheum Dis.* 2016 ;75(1):278-85
12. Du, Y., Y. Su, J. He, Y. Yang, Y. Shi, Y. Cui, C. Luo, X. Wu, X. Liu, F. Hu, X. Ma, L. Zheng, J. Zhang, X. Zuo, Y. Sheng, L. Wu, X. Zhang, J. Guo, and Z. Li. Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjogren's syndrome. *Ann Rheum Dis.* 2015 ;74(11):2070-5.
 13. He J, Ding Y, Feng M, et al.. Characteristics of Sjögren's syndrome in rheumatoid arthritis. *Rheumatology (Oxford).* 2013;52(6):1084-9
 14. Sun J, Li R, Guo J, Jia Y, Sun X, Liu Y, Li Y, Huang F, Lu L, Li Z. Superior molecularly altered influenza virus hemagglutinin peptide 308-317 inhibits collagen-induced arthritis by inducing CD4+ Treg cell expansion. *Arthritis Rheum.* 2012 Jul;64(7):2158-68.
 15. Xia M, Liu J, Liu S, Chen K, Lin H, Jiang M, Xu X, Xue Y, Liu W, Gu Y, Zhang X, Li Z, Yi L, Qian Y, Zhou C, Li R, Zhang X, Li Z, Cao X. Ash11 and Inc-Smad3 coordinate Smad3 locus accessibility to modulate iTreg polarization and T cell autoimmunity. *Nat Commun.* 2017 Jun 9;8:15818.